





www.atalmetalindia.com



ATAL METAL INDIA AN ISO 9001 : 2015

ATAL METAL INDIA AN ISO 9001 : 2015 was incorporated in the year 2022 in order to meet the customers demand for the quality products in conveyor equipments like IDLERS, PULLEYS & VOLUMETRIC FEEDERS etc.





ABOUT US

ATAL METAL INDIA AN ISO 9001 : 2015 was incorporated in the year 2022 in order to meet the customers demand for the quality products in conveyor equipments like IDLERS, PULLEYS & VOLUMETRIC FEEDERS etc. Under the brand name "ami".

ami engineering & equipments pvt. ltd. is specialized in manufacturing these products in its Own Manufacturing Unit (OMU) located at Industrial Area, Jamshedpur, India.

It is equipped with all kind of machines and tools supported by adequate inspection equipments with skilled workforce.

Our aim is to manufacture more accurate and zero defect production with quality raw materials.

Mission

ami engineering & equipments pvt.ltd. shall enhance customer satisfaction through consistent high quality , on-time delivery of products using state-of-the-art technology and implementing best practices. and shall foster a culture of mutual support and respect, professionalism and empowerment among its employees.

Vision

ami engineering & equipments pvt.ltd. shall be East India's most preferred provider of pulley and idlers, services and a leading contributor to the nation thermal power generation.

TROUGHING IDLERS (TROUGH ANGLE 20 TO 45 DEG)



BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	250	ø114.3 to ø 152.4
800	315	ø114.3 to ø 152.4
1000	380	ø114.3 to ø 193.7
1200	465	ø114.3 to ø 193.7
1400	530	ø114.3 to ø 193.7
1600	600	ø114.3 to ø 193.7
1800	670	ø114.3 to ø 193.7
2000	750	ø114.3 to ø 193.7
2200	800	ø114.3 to ø 193.7

TROUGHING TRAINING IDLERS (TROUGH ANGLE 20 TO 45 DEG)

BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	250	ø114.3 to ø 152.4
800	315	ø114.3 to ø 152.4
1000	380	ø114.3 to ø 193.7
1200	465	ø114.3 to ø 193.7
1400	530	ø114.3 to ø 193.7
1600	600	ø114.3 to ø 193.7
1800	670	ø114.3 to ø 193.7
2000	750	ø114.3 to ø 193.7
2200	800	ø114.3 to ø 193.7



SINGLE ROLL RETURN TRAINING IDLERS



BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	750	ø114.3 to ø 152.4
800	950	ø114.3 to ø 152.4
1000	1150	ø114.3 to ø 193.7
1200	1400	ø114.3 to ø 193.7
1400	1600	ø114.3 to ø 193.7
1600	1800	ø114.3 to ø 193.7
1800	2000	ø114.3 to ø 193.7
2000	2200	ø114.3 to ø 193.7
2200	2400	ø114.3 to ø 193.7

SINGLE ROLL FLAT RETURN IDLERS

BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	750	ø114.3 to ø 152.4
800	950	ø114.3 to ø 152.4
1000	1150	ø114.3 to ø 193.7
1200	1400	ø114.3 to ø 193.7
1400	1600	ø114.3 to ø 193.7
1600	1800	ø114.3 to ø 193.7
1800	2000	ø114.3 to ø 193.7
2000	2200	ø114.3 to ø 193.7
2200	2400	ø114.3 to ø 193.7




ADJUSTABLE TRANSITION IDLERS


BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	250	ø114.3 to ø 152.4
800	315	ø114.3 to ø 152.4
1000	380	ø114.3 to ø 193.7
1200	465	ø114.3 to ø 193.7
1400	530	ø114.3 to ø 193.7
1600	600	ø114.3 to ø 193.7
1800	670	ø114.3 to ø 193.7
2000	750	ø114.3 to ø 193.7
2200	800	ø114.3 to ø 193.7

2 - ROLL V - RETURN IDLERS

BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	400	ø114.3 to ø 152.4
800	500	ø114.3 to ø 152.4
1000	600	ø114.3 to ø 193.7
1200	700	ø114.3 to ø 193.7
1400	800	ø114.3 to ø 193.7
1600	900	ø114.3 to ø 193.7
1800	1000	ø114.3 to ø 193.7
2000	1100	ø114.3 to ø 193.7
2200	1200	ø114.3 to ø 193.7




IMPACT TROUGHING IDLERS TROUGH ANGLE 20 TO 45 DEG



BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	250	ø139.7
800	315	ø139.7
1000	380	ø139.7 to 205
1200	465	ø139.7 to 205
1400	530	ø139.7 to 205
1600	600	ø139.7 to 205
1800	670	ø139.7 to 205
2000	750	ø139.7 to 205
2200	800	ø139.7 to 205

GARLAND IDLERS

BELT SIZE IN MM	ROLL LENGTH	ROLL DIA
650	250	ø114.3 to ø 152.4
800	315	ø114.3 to ø 152.4
1000	380	ø114.3 to ø 193.7
1200	465	ø114.3 to ø 193.7
1400	530	ø114.3 to ø 193.7
1600	600	ø114.3 to ø 193.7
1800	670	ø114.3 to ø 193.7
2000	750	ø114.3 to ø 193.7
2200	800	ø114.3 to ø 193.7



PIPE FORMING FRAME

BELT SIZE IN MM	ROLL DIA
1000	ø114.3 to ø 152.4
1200	ø114.3 to ø 152.4
1400	ø114.3 to ø 152.4
1600	ø114.3 to ø 152.4
1800	ø114.3 to ø 152.4
2000	ø114.3 to ø 152.4
2200	ø114.3 to ø 152.4

ATAL METAL INDIA AN ISO 9001 : 2015

OFFICE
NEAR POLICE LINE, 1ST FLOOR
ATAL METAL INDIA, SHREE NIWAS
BHILWARA - 311001 (RAJ.)

MOB NO. - +917878716084

EMAIL :- atalmetalind@gmail.com

Website - www.atalmetalindia.com